

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Thursday, March 17, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L27	6836478[pn]	1
<input type="checkbox"/>	L26	L25 not l23	17
<input type="checkbox"/>	L25	L24 and server	37
<input type="checkbox"/>	L24	(call waiting) near8 (fax\$ or facsimil\$ or printer or copier)	70
<input type="checkbox"/>	L23	L20 and ((server or fax/server) same (fax\$ or facsimil\$))	Foth → 41
<input type="checkbox"/>	L22	L21 and server	9
<input type="checkbox"/>	L21	l19[ti,ab]	14
<input type="checkbox"/>	L20	L19 and server	105
<input type="checkbox"/>	L19	(call waiting) same (fax\$ or facsimil\$)	204
<input type="checkbox"/>	L18	L17 and l8	1
<input type="checkbox"/>	L17	(20020051197 or 20050024499 or 5742905 or 5991290 or 6314476 or 5673190 or 6356356 or 6009153)[pn]	8
<input type="checkbox"/>	L16	L15 and server	6
<input type="checkbox"/>	L15	l8 same interrupt\$ same (fax\$ or facsimil\$)	16
<input type="checkbox"/>	L14	l8 near8 interrupt\$ near8 (fax\$ or facsimil\$)	4
<input type="checkbox"/>	L13	L12 and l8	117
<input type="checkbox"/>	L12	(fax\$ or facsimil\$) same server same (pots or pstn or pbx or ((phone or telephon\$) near (network\$ or lan or wan or line)))	1480
<input type="checkbox"/>	L11	"call waiting"	3959
<input type="checkbox"/>	L10	L9 and l8	144
<input type="checkbox"/>	L9	(fax\$ or facsimil\$ or printer or copier) same server same (pots or pstn or pbx or ((phone or telephon\$) near (network\$ or lan or wan or line)))	1959
<input type="checkbox"/>	L8	call waiting	3959
<input type="checkbox"/>	L7	(call waiting) same ((fax\$ or facsimil\$) near6 shar\$ near6 (telephon\$ or phone))	1
<input type="checkbox"/>	L6	((fax\$ or facsimil\$) same server) and ((call waiting) same (fax\$ or facsimil\$) same interrupt\$)	3
<input type="checkbox"/>	L5	((fax\$ or facsimil\$) same server) and ((call waiting) same (fax\$ or facsimil\$))	Foth 41
<input type="checkbox"/>	L4	L2 and ((call waiting) same (fax\$ or facsimil\$))	Foth 15
<input type="checkbox"/>	L3	L2 and (call waiting)	117
<input type="checkbox"/>	L2	(fax\$ or facsimil\$) same server same (pbx or pstn or pots or ((telephon\$ or phone) near (line or network\$ or lan or wan)))	1480
<input type="checkbox"/>	L1	(call waiting) same (fax\$ or facsimil\$) same server	8

END OF SEARCH HISTORY

WEST Search History

DATE: Thursday, March 17, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=EPAB,DWPI; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L10	(copier or fax\$ or facsimil\$) near8 (dial\$ or ((telephon\$ or phone) near number)) near8 server near8 (pots or pstn or ((telephon\$ or phone) near2 (line or network or lan or wan)))	4
<input type="checkbox"/>	L9	printer and (dial\$ or ((telephon\$ or phone) near number)) and server and (pots or pstn or ((telephon\$ or phone) near2 (line or network or lan or wan)))	15
		<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L8	printer near12 (dial\$ or ((telephon\$ or phone) near number)) near12 server near12 (pots or pstn or ((telephon\$ or phone) near2 (line or network or lan or wan)))	3
<input type="checkbox"/>	L7	printer near12 (dial\$ near4 ((telephon\$ or phone) near number)) near12 server	4
<input type="checkbox"/>	L6	L5 and (call wait\$)	22
<input type="checkbox"/>	L5	L4 same (printer or copier or fax\$ or facsimil\$)	301
<input type="checkbox"/>	L4	(server or client/server) near4 (dial\$ or ((telephon\$ or phone) near number))	4090
<input type="checkbox"/>	L3	(server or client/server) nera4 (dial\$ or ((telephon\$ or phone) near number))	0
<input type="checkbox"/>	L2	l1 and (call waiting)	3
<input type="checkbox"/>	L1	(printer or fax or facsimil\$ or copier) near12 (dial\$ near4 ((telephon\$ or phone) near number)) near12 server	19

Miller,
Malik

END OF SEARCH HISTORY



printer and (telephone number) and dial and

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Scholar Results 1 - 10 of about **654** for **printer and (telephone number) and dial and server**. (0.15 seconds)

Brown Term User's Guide Introduction

SB Term, HCAD Modem, DLG Modem - [Cached](#) - [Web Search](#)

... including obscene mail and messages; laser **printer** and plotter ... set the port settings, and **telephone number**, you are ... will try to **dial** the **telephone** and connect ...
 macinfo.its.queensu.ca

Securing HP-UX Services

FE Salas, GP Assignment - [View as HTML](#) - [Web Search](#)

... modem calls the caller back on a predefined **telephone number**. ... 4. Calls a **number** associated with the caller's ... local device like a terminal or **printer**, instead of ...
 sans.org

Videotex at Clemson

CA DeWitt - [Web Search](#)

... afternoon, the original must be to the **printer** noon on ... in the county can **dial** a local **telephone number** and connect ... like to get out to a large **number** of people ...
 Proceedings of the 14th annual ACM SIGUCCS conference on ..., 1986 - [portal.acm.org](#) - [portal.acm.org](#)

Locating Objects in Wide-Area Systems

FJ Hauck, P Homburg, AS Tanenbaum - [View as HTML](#) - [Web Search](#)

... Communications Systems (PCS), a user should only have to **dial** a **telephone number** to contact ... For example, a mobile computer may need to use the local **printer**. ...
 informatik.uni-erlangen.de - [www-di.inf.puc-rio.br](#) - [cs.vu.nl](#) - [cs.umanitoba.ca](#) - [all 13 versions](#) »

The Clearinghouse" A Decentralized for Locating Named Objects

DC OPPEN, YK DALAL - [Cited by 92](#) - [Web Search](#)

... **telephone** system to be found: by name, by **number**, or by ... We move from the **telephone** system to distributed systems and ... to send a file to our local **printer** or to ...
 ACM Transactions on Office Information Systems, 1983 - [portal.acm.org](#) - [portal.acm.org](#)

[PS] A Multimedia Gateway for Phone/Fax and MIME Mail

SFYLM Tseng - [View as HTML](#) - [Web Search](#)

... too long to **dial** correctly and easily. ... his document to the address, remote-**printer**@88634262681.iddd ... DNS, some gateway serving the **telephone number** will receive ...
 dslab.csie.ncu.edu.tw

Initial Experiences of Accessing Patient Confidential Data over the Internet using a Public Key


...
 DW Chadwick, S Harvey, J New, AJ Young - [View as HTML](#) - [Web Search](#)

... ex-directory, they usually withhold their **telephone number** from outgoing ... demand to know the calling **number** during login ... also like to have a **printer** available to ...
 sec.isi.salford.ac.uk

The role of ISDN in data networking

CHW Everett, KM Blakey, LNC Morgan - [Cited by 3](#) - [Web Search](#)

... line ID — effectively the **telephone number** — at the host ... Console (RCONSOLE) and Remote **Printer** (RPRINTER), and ... Fortunately, there are a **number** of techniques ...
 BT Technol J - [kluweronline.com](#) - [portal.acm.org](#)

**IEEE Xplore**
RELEASE 1.8Welcome
United States Patent and Trademark Office

» Sea

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)

Welcome to IEEE Xplore

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet



Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Your search matched **1** of **1138071** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard**1 A multimodal consumer information server with IVR menu***Damhuis, M.; Peeters, M.; Boves, L.;*

Interactive Voice Technology for Telecommunications Applications, 1994., Sec IEEE Workshop on , 26-27 Sept. 1994

Pages:73 - 76

[\[Abstract\]](#)[\[PDF Full-Text \(256 KB\)\]](#)**IEEE CNF**



Find: (fax or facsimile or copier or printer)

Documents

Citations

Searching for (fax or facsimile or copier or printer) and dial and server.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

31 documents found. Order: number of citations.

[Locating Objects in Wide-Area Systems - van Steen, Hauck, Homburg.. \(1998\) \(Correct\) \(30 citations\)](#)
Amsterdam, The Netherlands tel: 31 (0)20 444 7784, fax: 31 (0)20 444 7653 e-mail: steen@cs.vu.nl Franz
a mobile computer may need to use the local **printer**. Likewise, it may want to contact the local Web
Systems (PCS)a user should only have to **dial** a telephone number to contact the callee. It
www4.informatik.uni-erlangen.de/~fzhauck/Pub/Doc/1998-01-commag.ps.gz

One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).

[Where Mathematics meets the Internet - Willinger, Paxson \(1998\) \(Correct\) \(18 citations\)](#)
network. These changes began with the advent of **FAXes** in the 1980s and have continued and become more
country, what is the likelihood of not getting a **dial-tone** when trying to make a phone call? 2 Now,
about not being able to connect to a popular web **server** over the Internet :The answers to these
ftp.ee.lbl.gov/papers/internet-math-AMS98.ps.gz

[Efficient Support for Scan Operations in Video Servers - Prashant Shenoy \(1996\) \(Correct\) \(17 citations\)](#)
fshenoy,ving@cs.utexas.edu, Phone: 512) 471-9732, Fax: 512) 471-8885 URL:
client sites via high-speed networks. Clients will **dial-up** the service and request the retrieval of
Efficient Support for Scan Operations in Video **Servers** Prashant J. Shenoy and Harrick M. Vin
www.cs.utexas.edu/users/shenoy/papers/TR-96-35.ps

[Designing a Videoconference System for Active Networks - Baldi, Picco, Rizzo \(Correct\) \(15 citations\)](#)
24, 10129 Torino, Italy Phone: 39 11 564 7067 Fax: 39 11 564 7099 fmbaldi,picco,rissog@polito.it
through a high-bandwidth local area network or a **dial-up** connection. Thus, the former get a quality
a centralized architecture based on a conference **server** which receives the conference streams from the
www.polito.it/~picco/papers/ma98.anet.ps.gz

[Composable Ad hoc Location-based Services for Heterogeneous.. - Hodes, Katz \(1998\) \(Correct\) \(13 citations\)](#)

autoconfiguration, location tracking, and local **printer** access. 1 Introduction Researchers have
We propose that providing an "IP **dial-tone**" isn't enough. We must augment basic IP
proxies, or reconfiguring the location of DNS **servers** -from their mobile devices. But a priori
www.cs.utah.edu/~retrac/cs6961/services-WINET.ps.gz

[A Network Perimeter With Secure External Access - Avolio, Ranum \(1994\) \(Correct\) \(11 citations\)](#)
File **Server** E-Mail File Service Print Service Fax Service Firewall Ftp Telnet E-Mail Signature &
private network to an external internet, as well as **dial-up** network connections to the private network, via
outside to inside will never be permitted proxy **servers** will be used. Network services should be
www.ja.net/CERT/JANET-CERT/./Avolio_and_Ranum/isoc94.ps

[Object Lessons Learned from a Distributed System.. - Olken, Jacobsen.. \(Correct\) \(5 citations\)](#)
Road, Berkeley, CA 94720. Tel: 510) 486-5891, Fax: 510) 486-4004, Email: olken@lbl.gov y Current
substantial savings compared to telephone **dial-up** systems are possible [16]The Internet also
ffl A data acquisition and database management **server** which is built on a Unix system. ffl Several
www-caravel.inria.fr/~jacobsen/abstracts/./papers/oopsla.ps

[Source Models of Network Game Traffic - Borella \(2000\) \(Correct\) \(5 citations\)](#)
Mount Prospect, Illinois 60056 Tel: 847) 342-6093 Fax: 847) 342-6732 Email: mike_borella@3com.com
will log on to the network from home using a **dial-up** PPP connection via a modem. The high latencies
by certain analytical models. While clients and **servers**, as well as hosts with different configurations,
www.xnet.com/~cathmike/MSB/Pubs/game-traffic.ps.Z

[Cryptography and the Internet - Bellare \(1998\) \(Correct\) \(5 citations\)](#)
use our Standard **Server**, pay by phone option, or fax us your order. 1 CERT Advisory CA-94:01, 3
line. Telecommuters can use an ISP's modem pool to **dial** in to work. But both of these practices are risky